

REFERENCES CITED

- Barbour, M.T., J. Gerritsen, B.D. Snyder, and J.B. Stribling. 1999. Rapid bioassessment protocols for use in streams and wadable rivers: Periphyton, benthic macroinvertebrates and fish, Second Edition. EPA 841-B-99-002. U.S. Environmental Protection Agency; Office of Water; Washington, D.C.
- Bartholow, J.M. 2002. SSTEMP for Windows: The Stream Segment Temperature Model (Version 2.0). US Geological Survey computer model and documentation. Available at <http://www.fort.usgs.gov/>.
- Behnke, R.J. and M. Zarn. 1976. Biology and management of threatened and endangered western trouts. USDA Forest Service, General Technical Report RM-28. Fort Collins, CO. 45 pp.
- Borland, J.P. 1970. A proposed streamflow-data program for New Mexico. USGS Open File Report. 71 pp.
- Brookes, A. 1986. Response of aquatic vegetation to sedimentation downstream from river channelisation works in England and Wales. *Biological Conservation* 38:352-367.
- Chronic, Halka. 1987. *Roadside Geology of New Mexico*. Mountain Press Publishing Company. Missoula, MT. 255 pp.
- Cinquemani, V., J.R. Owenby, and R.G. Baldwin. 1978. Input data for solar systems. U.S. Dept. of Energy. Environ. Resour. and Assessments Branch. 192 pp.
- Constantz, J, C.L. Thomas, and G. Zellweger. 1994. Influence of diurnal variations in stream temperature on streamflow loss and groundwater recharge. *Water Resources Research* 30:3253-3264.
- Forest Guardians and Southwest Environmental Center v. Carol Browner, Administrator, US EPA, Civil Action 96-0826 LH/LFG, 1997.
- Gray, Donald M. (editor) 1970. *Handbook on the Principles of Hydrology*, Water Information Center, Port Washington, NY.
- Leopold, L.B., M.G. Wolman, and J.P. Miller. 1964. *Fluvial Processes in Geomorphology*. Dover Publications, Inc., New York, NY.
- Minshall, G.W. 1984. Aquatic insect-substratum relationships. In Resh and Rosenberg, eds., *The Ecology of Aquatic Insects*. Praeger Publishers, New York, NY.
- Mount, D.I. 1969. Developing thermal requirements for freshwater fishes. In Krenkel and Parker, eds., *Biological Aspects of Thermal Pollution*. Vanderbilt University Press, Nashville, TN.

- Omerik, J.M. 1987. Ecoregions of the conterminous United States. *Annals of the Association of American Geographers*. 77(1):118-125.
- Quintana, F. L. 1991. *Pobladores: Hispanic Americans of the Ute Frontier*. Second Edition. University of Notre Dame Press. Notre Dame, IN. 267 pp.
- Relyea, C.D., C. W. Marshall, and R.J. Danehy. 2000. Stream insects as indicators of fine sediment. Stream Ecology Center, Idaho State University, Pocatello, ID. Presented at WEF 2000 Watershed Management Conference.
- SWQB/NMED. 1999a. Total maximum daily load for the Rio Chamita from the confluence of the Rio Chama to the Colorado border (total phosphorus, total ammonia, fecal coliform). Santa Fe, NM.
- SWQB/NMED. 1999b. Total maximum daily load for temperature on the Rio Chamita. Santa Fe, NM.
- SWQB/NMED. 1999c. Draft pollutant source documentation protocol. Santa Fe, NM.
- SWQB/NMED. 2000. State of New Mexico procedures for assessing standards attainment for 303(d) list and 305(b) report assessment protocol. Santa Fe, NM.
- SWQB/NMED. 2001a. Special water quality stream surveys: Upper Rio Chama, Cimarron River, and Jemez River. NMED/SWQ-01/1. Santa Fe, NM.
- SWQB/NMED. 2001b. Quality assurance project plan for water quality management programs. Santa Fe, NM.
- SWQB/NMED. 2001c. SWQB/NMED draft protocol for the assessment of stream bottom deposits. Santa Fe, NM.
- Rosgen, D. 1996. *Applied River Morphology*. Wildland Hydrology. Pagosa Springs, CO.
- Tennessee Valley Authority (TVA). 1972. Heat and mass transfer between a water surface and the atmosphere. Water Resour. Lab. Rep. 14. Norris, TN. 166 pp.
- Theurer, Fred D., Voos, Kenneth A., and Miller, William J. 1984. Instream Water Temperature Model. Instream Flow Inf. Pap. 16 Coop. Instream Flow and Aquatic System Group, U.S. Fish & Wildlife Service. Fort Collins, Colorado, 200 pp.
- United States Environmental Protection Agency (USEPA). 1991. Monitoring guidelines to evaluate effects of forestry activities on streams in the Pacific Northwest and Alaska. EPA-910-9-91-001. Seattle, WA.

- USEPA. 1993. Guidance specifying management measures for sources of nonpoint pollution in coastal waters. EPA-840-B-92-002. Washington, D.C.
- United States Forest Service (USFS). 1998. WinXSPRO channel cross-section analyzer. Fort Collins, CO.
- USFS. 2001. *Size-Class Pebble Count Analyzer V1 2001.xls* (651KB). Stream System Technology Center. Fort Collins, CO.
- United States Geological Survey (USGS). 1970. A proposed streamflow data program for New Mexico. Open-file report. Albuquerque, NM. 71 pp.
- USGS. 1982. Streamflow characteristics related to channel geometry of streams in western United States. Technical Paper 2193. 17 pp.
- USGS. 1993. Methods for estimating magnitude and frequency of floods in southwestern United States. Open-file report 93-419. 211 pp.
- USGS. 2002. Analysis of the magnitude and frequency of the 4-day annual low flow and regression equations for estimating the 4-day, 3-year low flow frequency at ungaged sites on unregulated streams in New Mexico. WRIR 01-4271. Albuquerque, NM. 22 pp.
- Van Nieuwenhuyse, E.E., and J.D. LaPerriere. 1986. Effects of placer gold mining on primary production in subarctic streams of Alaska. Water Resources Bulletin 22:91-99.
- Wolman, M.G. 1954. A method of sampling coarse river-bed material. Transactions of American Geophysical Union 35:951-956.